

ECO & SONS PTE LTD

COMPACT LAMINATE LOCKER SYSTEM

General

To supply and install DULUXE Type "C" series compact laminate locker system. This modular shall possess 100% resistant properties towards: Water, chemical, impact resistant.

Dimensions

Lockers 1800mm overall height includes 50mm floor clearance which is concealed behind a plinth. Standard width of locker is 300mm and depth is 500mm. Width and depth can also be custom-tailored to meet customer preference and suit site conditions.

Materials

Standard design combines the use of solid compact laminate panels (Phenolic Core), natural anodised channel and stainless steel accessories.

Panels

Panels are made of 3mm thick high density water-proof Phenolic Core for the back and side dividers, 12mm thick for top and bottom shelves and doors. They come with high pressure textured matt finish melamine on both sides for shock and mar resistance. All exposed edges of panels are chamfered without the use of any metal trimmings. All 4 sides of the dividing panel are slotted into the heavy duty aluminium channel to ensure rigid construction and perfect alignment of the locker system.

Doors

Made of Phenolic Core, 12mm thick and 300mm wide. Its edges have been smoothed and chamfered and every door comes with a set of 2 heavy duty hinges.

Tier

A choice of 1, 2, 3, 4, 5 & 6 tier locker systems are available.

Hardware

Stainless steel accessories include hinges and cam lock.

Stainless steel ventilation cover and hasp latch are available at additional cost.

ECO & SONS PTE LTD

DULUXE LOCKER SYSTEM



DULUXE LOCKER SYSTEM ACCESSORIES



Cam Locks



Hasp Lock



Stainless Steel Hasp Latch



Stainless Steel Ventilation Cover



Stainless Steel Hinge



Aluminium Channel