







T-118 Aphrodite

### TriStone GENERAL Series











# TriStone SOLID Series (Acrylic)



# TriStone PEARL Series









TS-206 Rye

# TriStone SPECIAL Series








MT-001 Grise

# TriStone PREMIUM Series



MT-002 M Chocolate Cognac G

MT-001 Grise






V-009 Milk Grotto

# TriStone VEIN Series









# TriStone Shower Tray & Bathtub

The special design of Tristone's Shower Tray and Bath Tub, enjoy simple and elegance life.

They are complete bathroom collection, not to look magnificent but to moderate and simple, which gives you a freedom from daily work.

### **Shower Tray**











### Bathtub











### Performance Properties

Test Items	Unit	Results	Test Method
Specific Gravity((23/23) C)	19	1.75	ASTM D792-13(Method A)
Rockwell M Scale Hardness		90	ASTM D785-08(2015)(Procedure A)
Tensile Strength	Mpa	31.6	ASTM D638-14(*)
Tensile Modules of Elasticity	Gpa	9.93	ASTM D638-14(*)
Flexural Strength	Mpa	62.8	ASTM D790-10(**)
Flexural Modules of Elasticity	Gpa	10.0	ASTM D790-10(**)
Izod Impact Strength	J/m	16	ASTM D256-10(Method A)
Water Absorption	%	0.03	ASTM D570-98
Ball Impect Resistance	19	>95	NEMA LD3
Boiling Water Resistance	22	Not Effect	NEMA LD3
Deflection Temperature under load	°C	96	ASTM D648-07(Method B)

#### Warranty

#### GENERAL TERMS AND CONDITIONS

Lion Chemtech Co., Ltd. will warrant its Solid Surface materials against manufacture defects for the period of 10 years from the shipment date. This Limited 10-Year warranty against defective materials only applies to Lion Chemtech's Solid Surface products, which are stored, handled, fabricated, installed, and used in the manner recommended in the Lion Chemtech's Fabrication Manual, Care & Maintenance Guide, Technical Bulletins, and other standards that are known in the Solid Surface industry.

#### THIS WARRANTY DOES NOT COVER THE FOLLOWING

- 2. Abuse
- 3. Improper installation or maintenance
- 4. Failure to follow instructions provided in Lion Chemtech's User Guide (available at www.tristonesurfaces. com) including, but not limited to, fabrication, installation, care, maintenance, etc.
- 5. Physical, chemical or other abuse including, but not limited to, damage from improper cleaning solutions such as bleach or drain cleaner, damages from vandalism, stains, scratches, water spots, and dropping of heavy/sharp objects.
- 6. Excessive heat exposure to a degree that would cause the product to display white marks, cracks and other unreasonable defect.
- 7. Acts of nature including, but not limited to, weather effects, fire, flood extreme exposure to the outdoors.
- 8. Removal or dissatisfaction in appearance of accessory items including, but not limited to, joints, seams, adhesive, caulk, etc.
- 9. Minor conditions such as scratches, stains, burn marks, water stops and other. Due to the unique properties of Lion Chemtech's Solid Surfaces, these minor conditions can be corrected by following techniques specified in Lion Chemtech's Care & Maintenance (available at www.tristonesurfaces.com)
- 10. Poor workmanship of the Fabricator or Installer
- 11. Color variation from the sample
- 12. Damages from other than manufacturing defect




















### TriStone ACRYLIC SOLID SURFACES

### SPECIFICATION

Item Unit		Specification		
Thickness	mm	3.0, 6.0, 10.0, 12.0, 19.0		
Length	mm	2500, 3070, 3680		
Width	mm	760, 930, 1350, 1520		

<sup>\*</sup> Various sizes are available upon request



#### ADHESIVE

Tristone adhesive is specially designed for various color collections. They are perfectly matched to Tristone colors. With each adhesives, you can save lots of time and efforts.



### Care and Maintenance Guide

Routine cleaning of your Tristone is based on the color and finish. The usual finishes consist of three types: matte/satin, semi-gloss, and high-gloss. Frequent cleaning of your countertop will increase the gloss level of your top over time. Also, darker colors require more frequent cleaning and care. Dirt and residue can easily be removed by using water, soap, ammonia-based cleaners, and/or solid surface cleaners. You can also use countertop polishes to enhance the gloss level of your countertop. Specifically for sinks and bowls, you can use the previous mentioned procedures or use a green Scoth-Brite pad to remove residue. Green Scotch-Brite pads are not recommended for routine cleaning on countertops.

In order to remove hard and difficult stains on countertops, sinks, and bowls, you will have to use different products to get the best results. Please follow the suggested cleaning procedures.

- Matte/Satin finish: Use a wet green Scotch-Brite pad and an abrasive cleanser and rub in a circular motion
- Semi-gloss finish: Use a Soft Scrub cleanser with diluted household bleach and a wet white Scotch-Brite pad and rub in a circular motion.
- High-gloss finish: Same procedure as semi-gloss finish but use a sponge, NOT Scotch-Brite.

To disinfect solid surfaces, wipe the area with diluted bleach and wipe it dry with a towel. For sinks and bowls, let the diluted bleach, stand for about 15 minutes, then wash the surfaces and rinse with water.

TRISTONE recommends that severe damages should be repaired by Certified Fabricator or Solid Surface Repair Agents.

For more information on care and maintenance, please visit our website at www.tristonesurfaces.com and/or contact your local distributor.